

Best practice guide for Microsoft Edge using Microsoft InTune

Table of contents

- **O1** Create New Profile
- **O2** Force Users to Sign-in
- **03** Sign-in Restrictions
- **O4** Disable InPrivate Mode
- **05** Disable Browser Task Manager
- 06 Disable Developer Tools
- **07** Browser and Download History
- **08** Force Safe Search For Bing & Google
- **O9** Disable Bing Ads (Microsoft EDU Tenants ONLY)
- **10** Force YouTube Permissions



Once you've found the class that you want to start a session for, click the **start class** button in the lower right corner of the card. (In list view, click the 3-dot menu, and from that menu select **Start class**.)

Create New Profile

The admin will need to create a new device profile and then select add settings:

Devices > Configuration profiles > Create profile > Windows 10 > Settings

« 🏫 Home	Home > Windows	ition profiles		Create a profile ×
Dashboard All services Devices	Search (Ctrl+/) windows devices	+ Create profile EE Columns () Refresh \oint Export ∇ Filter		Platform Select platform J V Profile type
 Apps Endpoint security 	Windows enrollment	Profile name	↑↓ Platform ↑↓	Select profile type
Reports	Windows policies		Windows 10 and later Windows 10 and later	
Lusers	Configuration profiles		Windows 10 and later	
Groups	PowerShell scripts		Windows 10 and later	
Interview in the second sec	Update rings for Windows 10 and		Windows 10 and later	
Iroubleshooting + support	later		Windows 10 and later	
	and later (Preview)		Windows 10 and later	
	Quality updates for Windows 10		Windows 10 and later	
	and later (Preview)		Windows 10 and later	

• Give the new profile a name

Home > Windows > Create profile Windows 10 and later - Settings	 s catalog (preview)	
Basics Config	uration settings (3) Assignments (4) Scope tags (5) Review + create	
Name *	Restrict Microsoft Edge Browser	\checkmark
Description		
	I	
Platform	Windows 10 and later	\sim

Add settings



Force Users to Sign-in

The first option is to force the user to sign in and create a profile with the Edge browser. This will remove the option for Guest Mode. If the admin does not want to force the user to sign in, make sure to disable Guest Mode.

Browser Sign in - [Enabled] & [Force users to sign-in] - Browser sign-in settings, disables
 Guest Mode

P browser sign × Search + Add filter Administrative Templates\ Google Chrome Microsoft Edge Microsoft Edge * results in the "Microsoft Edge" category Select all these settings Setting name © ✓ Browser sign-in settings (Device) ✓ Browser sign-in settings (User) ○ Browser sign-in settings (User)	Settings picker Use commas "," among search terms to lookup settings by their keywords	>
+ Add filter irowse by category Administrative Templates\ Google Chrome Microsoft Edge 4 results in the "Microsoft Edge" category Setting name Image: Setting	₽ browser sign	× Search
Administrative Templates\ Google Chrome Microsoft Edge results in the "Microsoft Edge" category Setting name Setting name Setting name Setting name Setting name Setting functions (Device) Browser sign-in settings (Device) Browser sign-in settings (User)	+ Add filter	
Administrative Templates\ Google\ Google Chrome Microsoft Edge results in the "Microsoft Edge" category Setting name	Browse by category	
Microsoft Edge results in the "Microsoft Edge" category Setting name S	Administrative Templates\ Google\ Google Chrome	
Presults in the "Microsoft Edge" category Select all these settings Setting name Browser sign-in settings (Device) Browser sign-in settings (User) Browser sign-in settings (User) 	Microsoft Edge	
a results in the "Microsoft Edge" category Select all these settings Setting name Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings Image: Comparison of the settings <		
Setting name V Browser sign-in settings Image: Setting name Image: Seting name Ima		
Image: Service sign-in settings Image: Service sign-in settings (Device) Image: Service sign-in settings (User) Image: Service sign-in settings (User) Image: Browser sign-in settings (User) Image: Service sign-in settings (User)	4 results in the "Microsoft Edge" category	Select all these settings
Image: Service sign-in settings (Device) Image: Browser sign-in settings (User) Image: Browser sign-in settings (User) Image: Browser sign-in settings (User)	4 results in the "Microsoft Edge" category Setting name	Select all these settings
Browser sign-in settings (User) ① Browser sign-in settings (User) ①	F results in the "Microsoft Edge" category Setting name V V Browser sign-in settings	Select all these settings
Browser sign-in settings (User)	4 results in the "Microsoft Edge" category Setting name V V Browser sign-in settings V Browser sign-in settings (Device)	Select all these settings
	4 results in the "Microsoft Edge" category Setting name V V Browser sign-in settings V Browser sign-in settings (Device) V Browser sign-in settings (User)	Select all these settings ①

Create New Profile

When the user is creating the Edge profile, the admin can restrict which accounts are allowed to login. Keep in mind, the profile can only set one domain for restriction (e.g. schooldomain.tld or students.schooldomain.tld):

 RestrictSigninToPattern - [Enabled] & [.*@schooldomain.tld] - Restrict which accounts can be used to sign in to Microsoft Edge

♀ restrict	× Search
+ Add filter	
owse by category	
Administrative Templates\Windows Components\Remote Desktop Services\Remote Desktop Session Host\Connect	tions
Administrative Templates\Windows Components\Windows Error Reporting	
Delivery Optimization	
Local Policies Security Options	
Microsoft App Store	
Microsoft Edge	
Microsoft Edge - Default Settings (users can override)	
Microsoft Edge\Printing	
Microsoft Office 2016 (Machine)\Security Settings\IE Security	
Microsoft Office 2016\File Open/Save dialog box\Restricted Browsing	
Microsoft Office 2016 Manage Restricted Permissions	
etting name	
Allow download restrictions (User)	()
Control where security restrictions on insecure origins apply	()
Control where security restrictions on insecure origins apply (User)	(i)
Force minimum YouTube Restricted Mode	0
Force minimum YouTube Restricted Mode (User)	0
Restrict exposure of local IP address by WebRTC	(i)
Restrict exposure of local IP address by WebRTC (User)	0
Restrict the range of local UDP ports used by WebRTC	0
Restrict the range of local UDP ports used by WebRTC (User)	Ū
✓ ✓ Restrict which accounts can be used as Microsoft Edge primary accounts	Ū
Restrict which accounts can be used as Microsoft Edge primary accounts (Device)	
Restrict which accounts can be used as Microsoft Edge primary accounts (Device) Restrict which accounts can be used as Microsoft Edge primary accounts (User)	(j)

Disable InPrivate Mode

The Edge browser can have the InPrivate mode disabled so users cannot browse without extensions loading:

InPrivateModeAvailability -[Enabled] & [InPrivate mode disabled] - Configure InPrivate mode availability

Secommas " " among search terms to look up settings by their keywords	
P private mode	× Search
+ Add filter	
rowse by category	
Microsoft Edge	
results in the "Microsoft Edge" category	Select all these setting
results in the "Microsoft Edge" category Setting name	Select all these setting
results in the "Microsoft Edge" category Setting name V V Configure InPrivate mode availability	Select all these setting
results in the "Microsoft Edge" category Setting name Configure InPrivate mode availability Configure InPrivate mode availability	Select all these setting

Disable Browser Task Manager

To prevent users from shutting down extensions, it is recommended to disable the browser's Task Manager:

TaskManagerEndProcessEnabled - [Disabled] - Enable ending processes in the Browser task manager

Settings picker Use commas "," among search terms to lookup settings by their keywords	×
	× Search
+ Add filter	
Browse by category	
Administrative Templates\ Google\ Google Chrome	
Administrative Templates\System\Ctrl+Alt+Del Options	
Microsoft Edge	
2 results in the "Microsoft Edge" category Setting name	Select all these settings
Enable ending processes in the Browser task manager	(i)
Enable ending processes in the Browser task manager (User)	(j)

Disable Developer Tools

To prevent users from manipulating the Edge browser extension, it is recommended to disable the Developer Tools:

DeveloperToolsAvailability - [Enabled] & [Don't allow] - Control where developer tools
 can be used



Browser and Download History

The school admin can prevent users from deleting the browser and download history from the Edge Browser:

• AllowDeletingBrowserHistory - [Disabled] - Enable deleting browser and download history

Settings picker	×
$\mathcal P$ history	× Search
+ Add filter	
Browse by category	
Administrative Templates\ Google\ Google Chrome	
Administrative Templates\ Google\ Google Chrome - Default Settings (users can override)	
Administrative Templates\ Windows Components\ Microsoft Defender Antivirus\ Scan	
Administrative Templates\Start Menu and Taskbar	
Administrative Templates\Windows Components\IME	
Administrative Templates\Windows Components\Internet Explorer\Delete Browsing History	
Browser	
Device Lock	
Experience	
Microsoft Edge	
Microsoft Edge - Default Settings (users can override)	
0 results in the "Microsoft Edge" category	Select all these settings
Setting name	
Allow importing of browsing history	0
Allow importing of browsing history (User)	0
Allow personalization of ads, search and news by sending browsing history to Microsoft	0
Allow personalization of ads, search and news by sending browsing history to Microsoft (User)	0
Disable saving browser history	0
Disable saving browser history (User)	0
Enable deleting browser and download history	0
Enable deleting browser and download history (User)	0
Show links shared from Microsoft 365 apps in History	0
Show links shared from Microsoft 365 apps in History (User)	0
	0

Force Safe Search For Bing & Google

Bing and Google searches can have Safe Search always enforced:

- ForceBingSafeSearch [Enabled] Enforce Bing SafeSearch
- ForceGoogleSafeSearch [Enabled] Enforce Google SafeSearch

search		× Search
+ Add	ilter	
owse by a	ategory	
Adminis Zone	trative Templates\Windows Components\Internet Explorer\Internet Control Panel\Security Page\Locked-Dowr	n Trusted Sites
Adminis	trative Templates\Windows Components\Internet Explorer\Internet Control Panel\Security Page\Restricted Sit	es Zone
Adminis	trative Templates\Windows Components\Internet Explorer\Internet Control Panel\Security Page\Trusted Sites	Zone
Adminis	trative Templates\Windows Components\Windows Installer	
Browser		
Microso	ft Edge	
Microso	ft Edge - Default Settings (users can override)	
Microso	ft Edge - Default Settings (users can override)\Default search provider	
Microso	ft Edge WebView2\Loader Override Settings	
Microso	ft Edge\Default search provider	
Microso	ft Office 2016 (Machine)\Updates	
results ir	the "Microsoft Edge" category Select	all these setting
results ir etting na	the "Microsoft Edge" category Select	all these setting
etting na	the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data	all these setting
etting na	the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User)	all these setting (1) (1)
results ir retting na	the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch	all these setting
i results ir ietting na	the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Enforce Bing SafeSearch (User)	all these setting () () () () ()
<pre>setting na setting na settin</pre>	the "Microsoft Edge" category Select me Inable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Enforce Bing SafeSearch (User) Enforce Google SafeSearch	all these setting
is results in the second seco	the "Microsoft Edge" category Select me Select Enable Windows to search local Microsoft Edge browsing data Image: Comparison of the search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Image: Comparison of the search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Image: Comparison of the search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Image: Comparison of the search local Microsoft Edge browsing data (User) Enforce Google SafeSearch (User) Image: Comparison of the search (User) Enforce Google SafeSearch (User) Image: Comparison of the search (User)	all these setting () () () () () () ()
<pre>> results ir ietting na > > > </pre>	the "Microsoft Edge" category Select me Select Enable Windows to search local Microsoft Edge browsing data Select Enable Windows to search local Microsoft Edge browsing data (User) Select Enforce Bing SafeSearch Select Enforce Bing SafeSearch (User) Select Enforce Google SafeSearch (User) Select Enforce Google SafeSearch (User) Select Force direct intranet site navigation instead of searching on single word entries in the Address Bar	all these setting () () () () () () () () () ()
results ir	the "Microsoft Edge" category Select me Select Enable Windows to search local Microsoft Edge browsing data Image: Comparison of the target of	all these setting () () () () () () () () () ()
results ir ietting na ietting	a the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Enforce Bing SafeSearch (User) Enforce Google SafeSearch (User) Enforce Google SafeSearch (User) Force direct intranet site navigation instead of searching on single word entries in the Address Bar Force direct intranet site navigation instead of searching on single word entries in the Address Bar (User) Manage Search Engines	all these setting () () () () () () () () () ()
results ir ietting na ietting	In the "Microsoft Edge" category Select me Select Enable Windows to search local Microsoft Edge browsing data Image Search Enable Windows to search local Microsoft Edge browsing data (User) Image Search Enforce Bing SafeSearch Image Search (User) Enforce Google SafeSearch (User) Image Search (User) Force direct intranet site navigation instead of searching on single word entries in the Address Bar Image Search Engines Manage Search Engines Image Search Engines	all these setting () () () () () () () () () ()
results ir ietting na ietting	a the "Microsoft Edge" category Select me Enable Windows to search local Microsoft Edge browsing data Enable Windows to search local Microsoft Edge browsing data (User) Enforce Bing SafeSearch Enforce Bing SafeSearch Enforce Google SafeSearch (User) Enforce Google SafeSearch (User) Enforce direct intranet site navigation instead of searching on single word entries in the Address Bar Force direct intranet site navigation instead of searching on single word entries in the Address Bar (User) Manage Search Engines Manage Search Engines Visual search enabled	all these setting () () () () () () () () () ()

Disable Bing Ads (Microsoft EDU tenants only)

If the school is set by Microsoft as tenant, they can disable the ads from appearing in the Bing search results:

• BingAdsSuppression - [Enabled] - Block all ads on Bing search results

Settings picker	×
Use commas "," among search terms to lookup settings by their keywords	X Search
+ Add filter	
Browse by category	
Administrative Templates\Windows Components\Internet Explorer\Internet Contro Zone	ol Panel\Security Page\Locked-Down Trusted Sites
Administrative Templates\Windows Components\Internet Explorer\Internet Contro	ol Panel\Security Page\Restricted Sites Zone
Administrative Templates\Windows Components\Internet Explorer\Internet Contro	ol Panel\Security Page\Trusted Sites Zone
Administrative Templates\Windows Components\Windows Installer	
Browser	
Microsoft Edge	
Microsoft Edge - Default Settings (users can override)	
Microsoft Edge - Default Settings (users can override)\Default search provider	
Microsoft Edge WebView2\Loader Override Settings	
Microsoft Edge\Default search provider	
Microsoft Office 2016 (Machine)\Updates	-
Setting name	
Allow default search provider context menu search access	Ű
Allow default search provider context menu search access (User)	(i)
Allow importing of search engine settings	0
Allow importing of search engine settingsAllow importing of search engine settings (User)	©
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor 	y to Microsoft
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor 	y to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results 	ry to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results Block all ads on Bing search results (User) 	y to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results Block all ads on Bing search results (User) Enable Microsoft Search in Bing suggestions in the address bar 	y to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results Block all ads on Bing search results (User) Enable Microsoft Search in Bing suggestions in the address bar Enable Microsoft Search in Bing suggestions in the address bar (User) 	y to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results Block all ads on Bing search results (User) Enable Microsoft Search in Bing suggestions in the address bar Enable Microsoft Search in Bing suggestions in the address bar (User) Enable Search suggestions 	y to Microsoft (User)
 Allow importing of search engine settings Allow importing of search engine settings (User) Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Allow personalization of ads, search and news by sending browsing histor Block all ads on Bing search results Block all ads on Bing search results (User) Enable Microsoft Search in Bing suggestions in the address bar Enable Microsoft Search in Bing suggestions in the address bar (User) Enable search suggestions Enable search suggestions (User) 	y to Microsoft ① y to Microsoft ① ① ① ① ① ① ① ① ① ① ① ① ① ① ① ① ① ① ①

Force YouTube Permissions

YouTube can have permissions enforced for the users. The admin can set the user with moderate or strict access:

ForceYouTubeRestrict - [Enabled] & [Enforce Strict Restricted Mode] - Force minimum
 YouTube Restricted Mode



Disable Edge First-run Experience

An admin can prevent the First-run experience with the Edge. If set to disabled, the browser will default the settings to:

- 'On the New Tab Page' the feed type will be set to MSN News and the layout to Inspirational.
- Users will still be automatically signed into Microsoft Edge if the Windows account is of Azure AD or MSA type.

For more information on managing the New Tab experience, see: Microsoft Edge Browser Policy Documentation.

• HideFirstRunExperience - [Enabled] - Hide the First-run experience and splash screen

Settings picker	\times
Use commas "," among search terms to lookup settings by their keywords P firstrun ×	Search
+ Add filter	
Browse by category	
Administrative Templates\Windows Components\Internet Explorer	
Microsoft Edge	
6 results in the "Microsoft Edge" category Select all th	iese settings
Setting name	
> Automatically import another browser's data and settings at first run	()
> Automatically import another browser's data and settings at first run (User)	(i)
✓ Hide the First-run experience and splash screen	Ū
Hide the First-run experience and splash screen (User)	0

Disable Edge Home Button (optional)

The admin can disable the home button from appearing on the Edge browser:

ShowHomeButton - [Disabled] - Show Home button on toolbar

Settings picker Use commas "," among search terms to lookup settings by their keywords	×
Add filter	× Search
Browse by category	
Administrative Templates\ Google\ Google Chrome - Default Settings (users can override)\ Startup, Home pa Administrative Templates\ Google\ Google Chrome\ Startup, Home page and New Tab page Browser Kiosk Browser	age and New Tab page
Microsoft Edge\Startup, home page and new tab page	
2 results in the "Startup, home page and new tab page" subcategory Setting name	Select all these settings
Show Home button on toolbar	0
Show Home button on toolbar (User)	0

Open Specific Websites During Browser Startup (optional)

The next option is to set up the "RestoreOnStartup" so a list of URLs open at during the startup:

- RestoreOnStartup [Open a list of URLs] Action to take on startup
- RestoreOnStartupURLs Sites to open when the browser starts

) vesteve	X Courd
restore	X
+ Add filter	
owse by category	
Administrative Templates\ Google\ Google Chrome - Default Settings (users can override)\ Startup, H	ome page and New Tab page
Administrative Templates\ Google\ Google Chrome\ Startup, Home page and New Tab page	
Administrative Templates\ Windows Components\ Microsoft Defender Antivirus\ Scan	
Administrative Templates\System\Device Installation	
Administrative Templates\System\System Restore	
Administrative Templates\Windows Components\File Explorer\Previous Versions	
Administrative Templates\Windows Components\Windows Installer	
Microsoft Edge	
Microsoft Edge - Default Settings (users can override)\Startup, home page and new tab page	
· · · · · · · · · · · · · · · · · · ·	
Microsoft Edge\Startup, home page and new tab page	
Microsoft Edge\Startup, home page and new tab page User Rights	
Microsoft Edge\Startup, home page and new tab page User Rights	
Microsoft Edge\Startup, home page and new tab page User Rights	
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory	Select all these setting
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory Setting name	Select all these settin
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory tetting name	Select all these settin
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory retting name Action to take on startup Action to take on startup (Device)	Select all these settin
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory retting name Action to take on startup Action to take on startup (Device) Action to take on startup (User)	Select all these settin
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory setting name ✓ Action to take on startup ✓ Action to take on startup (Device) Action to take on startup (User) ✓ Sites to open when the browser starts	Select all these settin
Microsoft Edge\Startup, home page and new tab page User Rights results in the "Startup, home page and new tab page" subcategory Setting name Setting name	Select all these setting

Homepage & New Tab (optional)

The school admin can set the Homepage and New Tab to the school's website.

^O homepage	× Sear
+ Add filter	
owse by category	
Administrative Templates\ Google\ Google Chrome	
Administrative Templates\ Google\ Google Chrome - Default Settings (users can override)\ Startu	up, Home page and New Tab page
Administrative Templates\ Google\ Google Chrome\ Startup, Home page and New Tab page	
Administrative Templates\Windows Components\Internet Explorer	
Browser	
Microsoft Edge	
Microsoft Edge - Default Settings (users can override)\Startup, home page and new tab page	
Microsoft Edge\Startup, home page and new tab page	
Microsoft Office 2016\Shared paths	
Microsoft Outlook 2016\Folder Home Pages for Outlook Special Folders	
Microsoft Outlook 2016\Outlook Options\Other\Advanced	
esults in the "Startup home page and new tab page" subcategory	Select all these setti
esults in the "Startup, home page and new tab page" subcategory etting name	Select all these setti
esults in the "Startup, home page and new tab page" subcategory etting name Configure the home page URL	Select all these setti
esults in the "Startup, home page and new tab page" subcategory etting name Configure the home page URL Home page URL (Device)	Select all these setti
esults in the "Startup, home page and new tab page" subcategory etting name Configure the home page URL Home page URL (Device) Configure the home page URL (User)	Select all these setti
results in the "Startup, home page and new tab page" subcategory tetting name Configure the home page URL Home page URL (Device) Configure the home page URL (User) Home page URL (User)	Select all these setti

Assign restrictions to Security Groups

Once all the settings have been added to the profile, select 'Next' to assign it to the Security Groups.



	Restrict which accounts can be used as Microsoft Edge primary accounts (Device)	*@schooldomain.tld	~
	Browser sign-in settings ①	Enabled	Θ
	Browser sign-in settings (Device) \star	Force users to sign-in to use the browser	~
	Enable ending processes in the Browser task manager ①	Disabled	Θ
	Configure InPrivate mode availability ①	Enabled	Θ
	Configure InPrivate mode availability (Device) *	InPrivate mode disabled	~
	Startup, home page and new	tab page	Remove subcategory
	() 43 of 44 settings in this subcategory an	e not configured	
	Show Home button on toolbar 🛈	Disabled	Θ
De	avious Next		
Ple	evious Next		

To see additional options available, such as creating URLBlocklist to prevent students from accessing 'edge://extensions', see: Microsoft Edge Browser Policy Documentation.



Sales@securly.com

𝗞 1-855-SECURLY

